10 10 10 23 JUN 2804

Translation

TENT COOPERATION TREATY

PCT



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's St. C			
Applicant's or agent's file reference DP-907PCT	FOR FURTHER ACTION	SeeNotifica Examination	tionofTransmittalofInternational Preliminary n Report (Form PCT/IPEA/416)
International application No.	International filing date (day/		Priority date (day/month/year)
PCT/JP2002/013643	26 December 2002 (26	.12.2002)	28 December 2001 (28.12.2001)
International Patent Classification (IPC) or no H01M 4/02, 4/58, 4/38, 10/40	ational classification and IPC		
Applicant	NEC CORPORAT	ION	
This international preliminary examinand is transmitted to the applicant account.	nation report has been prepared cording to Article 36.	by this Intern	ational Preliminary Examining Authority
This REPORT consists of a total of	4 sheets, including	ng this cover s	heet.
amended and are the pasis for	ed by ANNEXES, i.e., sheets of this report and/or sheets contain Administrative Instructions und	ning rectifica	on, claims and/or drawings which have been tions made before this Authority (see Rule
These annexes consist of a tota	al of sheets.		
 This report contains indications relating 	ng to the following items:		
I Basis of the report			
II Priority			
III Non-establishment of	opinion with regard to novelty		
IV Lack of unity of inver		, mventive ste	p and industrial applicability
			
V Reasoned statement u citations and explanat	ions supporting such statement	to novelty, inv	entive step or industrial applicability;
VI Certain documents cit	ed		
VII Certain defects in the	international application		
VIII Certain observations of	on the international application		
Date of submission of the demand	Date of	completion of	this report
26 December 2002 (26.12.			ember 2003 (02.12.2003)
Name and mailing address of the IPEA/JP	Authoriz	zed officer	
Facsimile No.	Telepho	ne No.	



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/JP2002/013643

1. E	Sasis	of the re	port	
1.	With	regard to	the elements of the international application:*	}
		the inter	mational application as originally filed	
	\boxtimes	the desc	ription:	[
		pages	1-29	
		pages		, filed with the demand
		pages	, filed with the letter of	
l	∇	the clair	ms:	
•		pages		, as originally filed
ļ.		pages	, as amended (together	with any statement under Article 19
ŀ		pages		, filed with the demand
ŀ		pages	9, filed with the letter of	30 June 2003 (30.06.2003)
١,	\square	the due		
1		the drav		, as originally filed
		pages pages	1-6	, filed with the demand
		pages	, filed with the letter of	
,	 1			
	יו	-	nce listing part of the description:	
				, as originally filed
		pages		, filed with the demand
		pages	, filed with the letter of	
	the in	nternation e elemen the lan	guage of a translation furnished for the purposes of international search (under Ru	which is:
ļ	H		guage of publication of the international application (under Rule 48.3(b)).	Dula 65 2 and/
	Ш	or 55.3		
3.	With	n regard minary e	to any nucleotide and/or amino acid sequence disclosed in the internat xamination was carried out on the basis of the sequence listing:	tional application, the international
	\sqcup	contair	ned in the international application in written form.	
		filed to	gether with the international application in computer readable form.	
	\sqcup	furnish	ed subsequently to this Authority in written form.	
ļ		furnish	ed subsequently to this Authority in computer readable form.	
			catement that the subsequently furnished written sequence listing does not attached as filed has been furnished.	go beyond the disclosure in the
			atement that the information recorded in computer readable form is identical urnished.	to the written sequence listing has
4.		The an	nendments have resulted in the cancellation of:	
1		П	the description, pages	
		\sqcap	the claims, Nos.	
}		\sqcap	the drawings, sheets/fig	
5.			port has been established as if (some of) the amendments had not been made, si the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**	nce they have been considered to go
*	in th	acement is repor 70.17).	sheets which have been furnished to the receiving Office in response to an invita t as "originally filed" and are not annexed to this report since they do no	ntion under Article 14 are referred to ot contain amendments (Rule 70.16
**			ent sheet containing such amendments must be referred to under item 1 and anne	exed to this report.

INTERNATIONAL PRELIMIT

Y EXAMINATION REPORT

Internation	oplication No.
Fe	T/JP02/13643

atement			
Novelty (N)	Claims	1-13	YE
	Claims		NO
Inventive step (IS)	Claims	3, 9-13	YE
	Claims	1, 2, 4-8	NO
Industrial applicability (IA)	Claims	1-13	YE:
	Claims		NO

2. Citations and explanations

Document 1: JP, 2001-283833, A (SANYO ELECTRIC CO., LTD.), 12 October 2001 Document 2: JP, 11-288705, A (TOYOTA MOTOR CORPORATION), 10 October 1999

Document 3: JP, 07-235330, A (SONY CORPORATION), 05 September 1995


The subject matter of claims 1 and 4-8 does not involve an inventive step on account of document 1 cited in the ISR. Document 1 describes a lithium-ion secondary battery that uses a negative electrode provided with a first active substance layer consisting of carbon on a collector and provided with a second active substance layer consisting of a Si or other metal or semiconductor alloyed with Li. thereon. Also, the effects of the invention are described as exhibiting high discharge capacity and charge/discharge efficiency, preventing peeling of the active substance from the collector, and being able to achieve excellent cycle characteristics. Therefore in the invention described in document 1, in order to provide a battery with both high energy density and excellent cycle characteristics, setting the negative electrode so as to realize optimum effects and the extent to which to use it could easily be conceived by a person skilled in the art. Also, claims 1 and 4-8 of the present application express only the lithium content of the second layer in a state of 100% depth of discharge when used. They do not indicate a battery designed so as to achieve this sort of lithium content or a manufacturing method therefor. This state could be obtained in the invention described in document 1 also, so there is no distinctive feature as a physical invention.

The subject matter of claim 2 does not involve an inventive step on account of documents 1-3 cited in the ISR. Documents 2 and 3 describe doping the negative electrode in advance with lithium equivalent to an irreversible capacity amount in order to obtain a lithium-ion secondary battery with high capacity and excellent cycle characteristics. Therefore, in the invention described in document 1, in order to provide a battery with both high energy density and excellent cycle characteristics, employing the lithium doping means described in documents 2 and 3 and the extent to which to make the negative electrode capacity greater than the positive electrode capacity could easily be conceived by a person skilled in the art.

The subject matter of claims 3 and 9-13 is novel and has an inventive step. In a lithium-ion secondary battery, designing the amount of lithium so as to satisfy equations (1) and (2) described in claim 3, using a lithium content in the negative electrode's second layer so that it is 31~67 atomic-% after completion of discharge, and a manufacturing method that includes the step of adding lithium in a capacity that satisfies equations (A)~(D) described in claim 13 are not described in any of the documents cited in the ISR and appear to be non-obvious to a person skilled in the art.

pplication No. Internati

INT	TERNATIONAL PRE	LIMIN	Y EXAMINAT	TION REPORT	P	CT/JP02/13643
I. Certa	in documents cited	·				
. Certair	n published documents (R	ule 70.10)				
_	Application No. Patent No.		tion date	Filing date (day/month/year)		Priority date (valid claim) (day/month/year)
	JP 2002-015729 A	18.	01. 02	30. 06. 00		
	[E X]					
		·				
Non-v	vritten disclosures (Rule 7	70.9)				f written disclosure
	Kind of non-written dis	sclosure		written disclosure month/year)	referring to	non-written disclosure ay/month/year)
						



PCT

国際予備審查報告

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

出願人又は代理人 の事類記号 DP-907PCT	今後の手続きについては、国際予備審査 IPEA/4	E報告の送付通知(様式PCT/ 116)を参照すること。
国際出願番号 PCT/JP02/13643	国際出願日 26.12.02	優先日 (日.月.年) 28.12.01
国際特許分類 (IPC) Int. Cl	' H01M 4/02, 4/58, 4/	38, 10/40
出願人(氏名又は名称)	日本電気株式会社	
2. この国際予備審査報告は、この表	む明細書、請求の範囲及び/又は図面もネ `実施細則第607号参照)	ージからなる。 D基礎とされた及び/又はこの国際予備審
IV 開の単一性の欠如	を を上の利用可能性についての国際予備審査	:報告の不作成 能性についての見解、それを裏付けるため
国際予備審査の請求書を受理した日 26.12.02	国際予備審査報告	を作成した日 02.12.03
名称及びあて先 日本国特許庁(IPEA/JP 郵便番号100-8915 東京都千代田区霞が関三丁目4	番3号 天野 斉	限のある職員) 4X 9151 印 3581-1101 内線 3477





国際出願番号 PCT/JP02/13643

I.	国際予備審查報	吸告の基礎		
1.	この国際予備報 応答するために PCT規則70.	こ提出された差し替え用紙は、この報告書	された。(法第6条(PCT14条)の規定に基づく命令 こおいて「出願時」とし、本報告書には添付しない。	た
	」出願時の国際	奈出願春類		
[明細書 明細書 明細書	第 ページ、 第 ページ、 第 ページ、	出願時に提出されたもの 国際予備審査の請求書と共に提出されたもの 	0
[2	開求の範囲 請求の範囲 請求の範囲 請求の範囲	第	出願時に提出されたもの PCT19条の規定に基づき補正されたもの 国際予備審査の請求書と共に提出されたもの _30.06.03 付の書簡と共に提出されたも	, Ø
	図面 図面 図面	第 <u>1-6</u> 第 ページ/E 第 ページ/E	1、 国際予備審査の請求審と共に提出されたもの	50
.[明細書の配列	列表の部分 第ページ、 列表の部分 第ページ、 列表の部分 第ページ、	出願時に提出されたもの 国際予備審査の簡求審と共に提出されたもの 付の書簡と共に提出されたも	300
2.	上記の出願書	質の言語は、下記に示す場合を除くほか、	この国際出願の官語である。	
į	上記の普類は、	、下記の官語である 語で	ある。	<i>j</i> :
	☐ PCT規	Eのために提出されたPCT規則23.1(b)に 見則48.3(b)にいう国際公開の言語 言審査のために提出されたPCT規則55.2%		
3.	この国際出願	は、ヌクレオチド又はアミノ酸配列を含ん	でおり、次の配列表に基づき国際予備審査報告を行った。	
	□ この国際後に 出願後に 出願後に 事の提出	はがあった こる配列表に記載した配列と磁気ディスク	こ提出された書面による配列表]
4.	補正により、 □ 明細書 □ 請求の範囲 □ 図面		ニージ/図	
5.	れるので、	備審査報告は、補充欄に示したように、複 その補正がされなかったものとして作成し ける判断の際に考慮しなければならず、オ	正が出願時における開示の範囲を越えてされたものと認 た。(PCT規則70.2(c) この補正を含む差し替え用紙。 報告に添付する。)	めら は上
		·		



国際出願番号 PCT/JP02/13643

V.	新規性、進歩性又は産業上の利用で 文献及び説明	J能性についての法第12条 	(PCT35条(2)) に定める見解、 	それを裏付ける
1.	見解			
	新規性(N)	簡求の範囲 簡求の範囲	1-13	有 無
	進歩性(IS)	請求の範囲 請求の範囲	3, 9-13 1, 2, 4-8	
	産業上の利用可能性 (IA)	請求の範囲 請求の範囲	1-13	

2. 文献及び説明 (PCT規則70.7)

文献1: JP 2001-283833 A (三洋電機株式会社), 2001.10.

12

文献2: JP 11-288705 A (トヨタ自動車株式会社), 1999. 10.

19

文献3: JP 07-235330 A (ソニー株式会社), 1995.09.05

請求の範囲1,4-8に係る発明は、国際調査報告で引用された文献1により、進歩性を有しない。文献1には、集電体の上に炭素からなる第1の活物質層を設け、その上にSi等のLiと合金化する金属または半導体からなる第2の活物質層を設けた負極を用いたリチウムイオン二次電池が記載されている。そして、発明の効果として、高い放電容量及び充放電効率を示すととにも、活物質の集電体からの剥離が防止され、良好なサイクル特性を得ることができることも記載されているから、文献1に記載されている発明において、最適な効果を発揮するように負極を設定し、使用する程はのよりであった。また、本願請求の範囲1,4-8は、のことは当業者が容易に成し得たことである。また、本願請求の範囲1,4-8は、使用時の放電深度100%の状態における第二の層中のリチウム含有率を表したものではないし、文献1に記載されている発明においても当該状態は取り得るものと認められるから、物の発明としての顕著な特徴点は見出せない。

請求の範囲2に係る発明は、国際調査報告で引用された文献1-3により、進歩性を有しない。文献2,3には、高容量で、サイクル特性の良好なリチウムイオン二次電池を得るために、予め負極に不可逆容量相当分のリチウムをドープしておくことが記載されているから、文献1に記載されている発明において、高エネルギー密度で良好なサイクル特性を兼ね備えた電池の提供を目的として、文献2,3に記載されているようなリチウムのドープ手段を適用して負極の容量を正極の容量より大きくする程度のことは、当業者が容易に成し得たことと認められる。

請求の範囲3,9-13に係る発明は、新規性・進歩性を有する。リチウムイオン二次電池において、請求の範囲3に記載の式(1)及び(2)を満足するようにリチウムの量を設計すること、放電終了後の状態における負極第二の層中のリチウム含有率を31~67atomic-%とするように使用すること、及び請求項13に記載されている式(A)~(D)を満足する容量のリチウムを添加する工程を含む製造方法は、国際調査報告で引用されたいずれの文献にも記載されておらず、当業者にとって自明のこととも認められない。





国際出願番号 PCT/JP02/13643

国際予備審査報	F	国際出願番号 РС	1/ JPU2/	13043
ある種の引用文献				
ある種の公表された文書(PCT	·規則70.10)			
出願番号 特許番号	公知日 (日.月.年)	出願日 (日.月.年)	優先日(有効 ² (日.)	な優先権の主張 月. 年)
JP 2002-015729 A 「EX」	18. 01. 02	30. 06. 00		
				•
•				
			•	
	•			
			·	
書面による開示以外の開示 (PC				
	CT規則70.9) 書面による開示以外の開 (日.月.年)	示の日付 春面によ	こる開示以外の開: 春面の日付・(E	
	書面による開示以外の開	示の日付 啓面によ		
	書面による開示以外の開	示の日付 書面によ		
	書面による開示以外の開	示の日付 書面によ		
	書面による開示以外の開	示の日付 春面によ		
	書面による開示以外の開	示の日付 書面によ		
통面による開示以外の開示の種類 ─────	書面による開示以外の開 (日.月.年)	示の日付 書面によ		
	書面による開示以外の開 (日.月.年)	示の日付 書面によ		
碁面による開示以外の開示の種類	審面による開示以外の開 (日.月.年)		- 書面の日付 ·(□	
帯面による開示以外の開示の種類	審面による開示以外の開 (日.月.年)		- 書面の日付 ·(□	
客面による開示以外の開示の種類	審面による開示以外の開 (日.月.年)		- 書面の日付 ·(□	
客面による開示以外の開示の種類	各面による開示以外の開 (日.月.年)		審面の日付 ·(日	
書面による開示以外の開示の種類	審面による開示以外の開 (日.月.年)		審面の日付 ·(日	
書面による開示以外の開示の種類	各面による開示以外の開 (日.月.年)		審面の日付(E	
書面による開示以外の開示の種類	各面による開示以外の開 (日.月.年)		審面の日付 ·(日	
書面による開示以外の開示の種類	各面による開示以外の開 (日.月.年)		審面の日付(E	

前記リチウムと合金を形成する元素が、SiまたはSnを含むことを特徴とする リチウムイオン二次電池。

- 6. 請求項1乃至5いずれかに記載のリチウムイオン二次電池において、 前記第一の層が、黒鉛、フラーレン、カーボンナノチューブ、ダイヤモンドライ クカーボン、アモルファスカーボン、ハードカーボンのうち、少なくとも一種を 含むことを特徴とするリチウムイオン二次電池。
- 7. 請求項1乃至6いずれかに記載のリチウムイオン二次電池において、 前記正極の活物質が、リチウムコバルト酸化物、リチウムマンガン酸化物および リチウムニッケル酸化物からなる群から選択される化合物のうち少なくとも一種 を含むことを特徴とするリチウムイオン二次電池。
- 8. 請求項1乃至7いずれかに記載のリチウムイオン二次電池において、 前記正極の活物質が、マンガン酸リチウムを含むことを特徴とするリチウムイオ ン二次電池。
- 9. (本施士を)リチウムイオンを吸蔵および放出することのできる正極および負極を備え、前記負極は、炭素を主成分とする第一の層とリチウムと合金を形成する元素を含有する第二の層とを含むリチウムイオン二次電池の使用方法であって、放電終了後の状態における前記負極第二の層中のリチウム含有率を31~67atomic-%とすることを特徴とするリチウムイオン二次電池の使用方法。
- 10. 請求項9記載のリチウムイオン二次電池の使用方法において、前記 負極の容量が前記正極の容量よりも大きいことを特徴とするリチウムイオン二次 電池の使用方法。
- 11. 請求項9または10に記載のリチウムイオン二次電池の使用方法に おいて、前記リチウムと合金を形成する元素が、Si、Ge、In、Sn、Ag